# China Manufacturer for Film Covering Tunnel Greenhouse -Roof Vent Manual Fan Temperature Humidity Control, Kool Max Manual Easy Wind, ST-PQD/SD - Fenglong Greenhouse

## What is Kool Max Easy Wind?

The Kool Max® Easy Wind is a roof mounted extraction vent fan, specifically designed for Greenhouses with Plastic cover. It is an easy way and efficient way for growers to obtain effective temperature & humidity control, reduce the disease of the plant, keep greenhouse fresher. Made from durable materials with 3 years warranty.

## Patent Product

Specially invented and developed by FLC to solve the problem of ventilation, moisture removal and temperature reduction at the top of the greenhouse.

Exported To 18 Countries: Fenglong Kool Max® Easy Wind has been serving customers in 18 countries since 2012.

## Great Effect on Ventilation, Dehumidification, and Cooling

The humid and hot air usually is in the roof of the greenhouse. It is hard to take them out of the greenhouse with current vent way, so it may cause the growth of bacteria and germs, and bring the disease to the plant. The Easy wind fan may solve this problem well.



Rainproof Patent Design, Good Sealing Performance



The material of the fan is similar to the film, so there is no chemical reaction at the touch area between the fan and film. Due to the same thermal expansion, the fan will not leak the rain. (when the fan is installed on PC greenhouse and glasshouse, it can be sealed with the glass glue). When opening the fan, the cap will be opened by the wind to keep the ventilation, when the fan is closed, the cap will drop automatically due to gravity (can be used within 45 degree of the horizontal angle). The cap is covered tightly with the barrel after the fan is closed. It can prevent heat loss, prevent the air, rain, and snow outdoor to enter the greenhouse and guarantee the sealing and safety.

# Anti-aging, Durable

The material is pure PE material, adding anti-aging agent, improve the anti-aging effect.



# Easy to Install, Reliable

The fan uses light plastic part, compact structure, less volume, and light weight. One people can install the fan with few tools, it saves time and labor. During the installation, only buckle the supporting ear on the support tube, then fix the clamp on the ear to the tube. It is easy and safe.

## Wide Application

It may be used for the ventilation of tunnel, multi-span greenhouse, solar greenhouse, glasshouse, ecologic Restaurant, and poultry.

Internal and External Package



# **CE** Certificate

(CQC)	CHINA QUALITY CERTIFICATION CENTRE CERTIFICATE OF CONFORMITY Certificate No.: CE143001004350	(COC)	CHINA QUALITY CERTIFICATION CENTRE CERTIFICATE OF CONFORMITY Certificate No.: CE14300100434
Product	Easy Wind(Electrical control system is not provided with the fan.)	Product	FLC Air Circulation Fan (Electrical control system is not provide with the fan.)
Applicant	Beijing Fenglong Greenhouse Technology Co.,Ltd Building 2,Building 4,Building 8,No.2, Ju He Er Jie Jufuyuan Zone, Tongzhou District,Beijing	Applicant	Beijing Fenglong Greenhouse Technology Co.,Ltd Building 2,Building 4,Building 8,No.2. Ju He Er Jie Jufuyuan Zone, Tongzhou District,Beijing
Type/model	XT-PQD/400D	Type/model	T18 No3、T18 No3.5、T18 No4、T18 No5、T18 No6、 ZLFJ460
Technical data	Voltage:220V, Frequency:50Hz, Speed:1390r/min, More details see test report.	Technical data	T18 No4: Voltage:220V, Frequency:50Hz, Speed:1400r/min, More details see test report.
2014CE01, the st	hat, on the basis of the tests undertaken as per Report No. ubmitted sample of the above item complies with: prEN 14461; 2002(E) EN ISO12100:2010 requirement of the European Directive: Machinery directive (MD)2006(AEEERTIF Machinery directive (MD)2006(AEEERTIF Machinery 2012) 2014	2014CE03, the se	hat, on the basis of the tests undertaken as per Report No. Jomitted sample of the above item complies with: prEN 14461, 2002(E) EN ISO12100:2010 requirement of the European Directive: Machinery directive (MD)2054/27ES Jone Directive (MD)205
President: –	Date of expiration Adv. 02,2017	President: -	Date of expiration Adv. 02,201
CE.	CHINA QUALITY CERTIFICATION CENTRE ection 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R.China http://www.c.qc.com.cn	CE.	CHINA QUALITY CERTIFICATION CENTRE ection 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R.China http://www.cgc.com.cn

## 3 Years Guarantee

Quality-assured, from purchasing date, within the warranty period, FLC would do full compensate or replace them all for problematic products.

Packing and Delivery



# **Product Presentation**

Product link : <u>https://www.wigglewires.com/?p=260756</u>